


---

## 23.8" LCD Monitor-Ultra-Thin Casing

Model#: WS-ZK2400



Size:



---

## Product Feature

- Ultra-thin body design
- Resolution 1920\*1080
- Multi-channel signals input optional, with stereo speaker optional
- Adopt the newest LCD blue ray technology, 3D digital comb filtering and 3D noise reduction technology
- Color 16.7M(8-Bit), image natural and exquisite
- 6.5ms response time, no delay
- External power adapter, low consumption, service life above 60,000hours
- Adopt adaptive power supply, meet variable countries requirements
- Use metal+plastic body, Desktop base included

## Specification:

Model: WS-ZK2400

Panel size: 23.8" LCD

Pixel: 1920x1080(FHD)

Aspect Ratio: 16:9

Brightness: 280cd/m2

Refresh Rate: 75Hz

Contrast ratio: 3000:1

Visible Angle: 178°

Response Time: 6.5ms

Color: 16.7M(8-bit)

VGA signal input: VGA×1

---

HDMI signal input: HDMI×1

VESA Wall Mounting Hole:75x75mm

Working condition

Working temperature: 0°C~50°C

Storage temperature: -20°C~60°C

Working humidity: 5%~90%

Power Consumption

Power supply: DC12V

Power consumption: ≤20W

Standby consumption: ≤1W

Dimension without standard: 539.7mm(L)×7mm(W)×320.95mm(H)

Industry Standards

Quality standard: Passed CE, FCC, Rohs, China 3C certification, China energy saving certification, patent certificate, copyright, authoritative test report

Environmental standards: All components and packing accessories comply with international environmental standards

Installation method: Desktop base, wall mount

Menu language: Support English, Spanish, French,Russian...more than 20 languages

Housing Material: Metal+ABS

Housing Color: Black

\*Products will improve continuously, the data is for reference only, if there is any modification, the actual product shall prevail without prior notice.