

32 INCH Monitor

Model#: WS-ZK3200-S



Size:



Product Feature

- Signal Input: 4K@30hz compatible
- Automatically detect the resolution of the input signal in the upper right corner of the screen when turn on the monitor
- Adopt industrial screen panel, high brightness, high contrast ratio

- Using high-precision standard regulated power supply, specially designed for industrial equipment, supporting 24/7 working
- With semi-metal shell, strong structure, fireproof, and shockproof, it is especially suitable for equipment that is easily affected by electromagnetic interference.
- Using 10bit image chip processing technology, high-pixel progressive scanning, the picture quality is exquisite
- Support intelligent 3D noise reduction, eliminate afterimage function, dynamic brightness, contrast and color optimization technology
- Apply the world's leading LCD driver solution to accurately restore the front-end signal, with a strong sense of reality
- Small size liquid crystal, low energy consumption, zero radiation, image stabilization all these do protective for our eyes
- Fast response time 6ms avoiding the tailing phenomenon of the image.
- Using nanotechnology, the picture is more three-dimensional and transparent

Specification:

Model: WS-ZK3200-S

Panel Size: 32inch TFT LED

Resolution: 4K@30hz compatible

Display Mode: 16:9

Brightness: 260cd/m²

Contrast Ratio: 3000:1

Visible Angle: 178/178°

Response Time: 6ms

Color: 16.7M(8-bit)

Video Input: RCA×3

VGA Input: VGA×1

HDMI Input: HDMI×2

USB Port: USB×2

Audio: Built-in speaker

Operating environment

Working temperature: 0°C~50°C

Storage temperature: -20°C~60°C

Working humidity: 5%~90%

Power consumption

Power Supply: 100V~240V AC

Power consumption: ≤45W

Standby consumption: ≤3W

Dimension: 731.05mm(W)×470.99mm(H)×76mm(D)

Net Weight: about 5.6KG

Industry Standards

Quality standard: Passed CE/FCC, China 3C certification, China energy saving certification, patent certificate, copyright, authoritative test report

Environmental standards: All components and packing accessories comply with international environmental standards

Installation method: Desktop base, wall mount, suspending mount

Wall mount hole: 200x100mm

Menu language: Support Chinese, English, Spanish, French...more than 20 languages

Housing Color: Black

Housing Material: ABS; with remote control

Support HDMI audio, with stereo speakers; built-in temperature monitoring warning

*Products will improve continuously, the data is for reference only, if there is any modification, the actual product shall prevail without prior notice